
KLLM LOG ORIENTATION



Introduction

- KLLM requires every driver to record his/her duty status for each 24-hour period as required by Federal Motor Carrier Safety Regulations; Part 395 Hours of Service.
- During this orientation you will be instructed on Hours of Service as well as KLLM Log Policies.

Agenda

- Driving Rules
- On-Duty Rules
- Off-Duty Rules
- Driver's Record of Duty Status
- FMCSA Part 395 HOS
- KLLM Progressive Enforcement of FMCSA Part 395 HOS

Driving Rules

- 8 Hour Rule No driver shall <u>drive</u> after driving for 8 hours without taking a 30 minute break.
 - Driver may remain on duty (not driving) for their breaks.
- 11 Hour Rule No driver shall <u>drive</u> more than 11 hours total following at least 10 consecutive hours off duty.
- 14 Hour Rule No driver shall <u>drive</u> after having been On-Duty 14 hours following 10 consecutive hours off duty.
- 70 Hour Rule No driver shall **drive** after having been On-Duty 70 hours in any 8 consecutive day period.

Rest Break Changes

- The 30 minute break must be done prior to 8 cumulative hours of driving and may be completed in an duty status other than drive.
- 30 minute rest break can be a combination of any duty status other than drive.



Line 4 Log Entries

- Time waiting to be dispatched;
- Time inspecting equipment or conditioning a motor vehicle; (yard move status not allowed here)

Minimum 15 minutes for Pre-trip Inspection

- ✓ Done at the start of your 1st driving period each day
- ✓ As of 09/11/1992 a copy of the authorization is in the back of your Permit Book
- ✓ If a team truck EACH driver must log a 15 min PTI

On Duty for Truck Fuel and D.E.F.

- ✓ ELD's record **REAL** time for fueling

 When this period has a drive time before and after fueling it may be less than 15 minutes.
- Reefer fuel doesn't need to be logged when purchased without any Tractor fuel or DEF.

Pre-trip & fueling may be combined for a total of 15 minutes (If done at the start of your 1st driving period)

Line 4 Log Entries Continued

- All time loading and unloading, or assisting with the loading and unloading, or remaining in readiness to operate a motor vehicle;
 - Off duty line cannot be used on a shipper or receiver's property.
 - ELD's offer a special condition duty status at a customer YARD MOVE
 - ✓ Select ON DUTY YARD MOVE REMARK
 - Yard move initiates at 5 MPH instead of the Drive Line
 - ✓ Yard move deactivates manually, at 20 MPH or by B.O.T. or E.O.T.
 - Unload/reload at the same facility
 - ✓ You will use your Yard Move as necessary at the customer

Line 4 Log Entries Continued

- ✓ Minimum 15 minutes for drop & hook
- ✓ Yard Move may be used in place of 15 minute on-duty period
- ✓ This includes the inspection of the new trailer.
- ✓ Yard move for multiple live load/unload you must notate the stop sequence in the remarks.



What must be done if you are <u>"FORCED"</u> to drive to a Safe Haven from a customer?

- •When you are forced to leave the property of a shipper / receiver you may utilize <u>Personal Conveyance</u> to drive to the nearest Safe Haven.
- •If the nearest Safe Haven has no available parking FMCSA recommends that the driver annotates on the HOS if he/she cannot park at the nearest location and must proceed to another location.
- Moving a CMV at the request of a Federal, State or Local Law Enforcement Official to relocate the CMV during the 10-hour break period. However, the CMV must be moved no farther than the nearest reasonable and safe area to complete the rest period.

What must be done if you are <u>"FORCED"</u> to drive to a Safe Haven in violation because of circumstances or events you have NO control of?

Personal Conveyance CANNOT be used for this.

- •An example is if the highway is shut down due to an accident etc. or any other circumstance that was beyond your control.
- •You must annotate the log with the event / circumstance that will cause them to violate HOS to reach the Safe Haven. PRIOR to the violation occurring.
- •This should include an accurate location:
 - •Hwy, mile marker, exit # etc..
- •Poor or lack of trip planning is not excusable by a note. The note MUST be factual. You should have known when and where they were going to finish their day. Any attempt to park prior to the end of HOS, should be annotated on your log.

On-Duty Continued

- All time spent performing driver requirements at the scene of an accident and in preparing reports relating to an accident; (involvement with any Law Enforcement Officer)
- D.O.T. Inspection (actual time on officers report)
- ALL DRUG / ALCOHOL TESTING (all travel and wait time)
 - To include ALL **random** and post accident tests
- All time spent repairing or attending to your disabled motor vehicle on the side of the road.
 - Off Duty cannot be used here

All other time is considered break time on either:


Off-Duty (Line 1)
or
Sleeper Berth (Line 2)

Off-Duty Time Single Driver

- 1. 10 Consecutive Hours Off-Duty
- 2. 10 Consecutive Hours in the Sleeper Berth
- 3. 10 consecutive hours combination of Sleeper Berth and Off-Duty times.
 - This can be used on calculating your 30 minute break or your 34hr restart.

Off-Duty Time Team Drivers

- This will allow a co-driver to take a combination of at least 7 consecutive hours of Sleeper Berth time and up to 3 hours riding in the passenger seat as Off Duty before or after the Sleeper Berth time to total 10 consecutive hours.
- While the co-driver is still Off Duty, the Change Status screen will remind the driver that the sleeper berth is required.



Split / Sleeper Berth Provision

- Before considering the split sleeper Provision the only benefit to using the split sleeper is arriving at a location 2 hours earlier than you would have, had you just taken a 10 hour break.
- Commercial motor vehicle drivers using the split sleeper berth provision must take at least 7 consecutive hours in the <u>sleeper berth</u>, plus 3 consecutive hours either in the sleeper berth, off-duty, or any combination of the two.

The driving time in the period immediately before and after each rest period, when added together, does not exceed 11 hours; and


All time on any line before and after each rest period, when added together, may not include any driving after the 14th hour

Drivers may choose to go off duty / sleeper for 2 or more hours when delayed, so they can pause the 14 hour clock — as long as they will *PAIR* a 7 hour sleeper later in the day.


Split / Sleeper Berth Pairing

A driver using the sleeper berth provision takes the following breaks: 7 hours sleeper berth, 3 hours offduty, 2 hours off-duty and 8 hours sleeper berth. If the driver wants to pair the 7 and 3 would the driver also be able to pair the 2 and 8?

Figure 1



Log Central Standard Time



Driver's Record of Duty Status

- Use medium point, black or blue ink pen
- Make entries neat and legible
- Both log days must be completed on the 2-day log sheets
- Driver's signature required immediately after all required entries have been made for the 1st-24 hour period on the 2-day log sheet
- Do not turn in "voided" or "blank" logs


How to enter NEAT, ACCURATE AND COMPLETE log entries!!

- Numeric Entries
 - •Must be neat legible
 - •All blank boxes must be at the beginning of the numeric sequence
 - •If a box has no numeric value leave the box empty.

Driver's Record of Duty Status

For multiple off-duty days – date the log the first day you are off-duty for 24 hours and also enter the end date.

A log is required for everyday to include off-duty days



Driver's Record of Duty Status



LEAVE ANY **EMPTY BLOCKS** AT THE **BEGINNING OF**

of Duty Status

AN AREA

DRIVER'S LOG

varies must be neatly printed in blocks. The log will be scanned



Hours Worker Lint 7 Occo


70 Hount Less Total Hours Equals Hours Available

3/4 = 0.75

You are in Vinhalities.


(Driver First Name) (Driver Last Name) KLLM Transport Services Inc. 135 Riverview Dr. - Jackson, M 9218 (Driver ID) (Driver's signature in full) I certify these entries are true and correct. (Name of Co-Driver) (Co-Driver ID) Yesterday (Month) PRINT 17 Day Total) (Trailer Number 1) (Trailer Number 2) (Month) (Dar k Number) **NAME** 10 11 11 NOON 1: OFF DUTY Today **LEGIBLE PAYROLL** 2: SLEEPER BERTH FROM LEFT 3: DRIVING **NUMBER IS** 4: ON DUTY TO RIGHT DUTT DEEX PROC. Hours Worked YOUR LOG ID Remarks it Hours Worked Today Exceeds Hours 1/2 = 0.50Aunitable.





- 4 thing you should know at any given time:
- 1. How many hours are left on the 70?
- 2. What time is your 30 minute break need to be done?
- 3. What time does the 14 hour clock expire?
- 4. What is my ETA to my next destination?


Driver's Record of Duty Status



FOR 3 OR MORE TRAILERS NOTE IN REMARKS




•If no driving time is shown for that day, leave mileage boxes BLANK




This will be your KLLM order / trip # and B.O.L.

QUIZ




THE ANSWER IS NO. THE RULES STATE THAT ONCE YOU REACH 70 HOURS YOU CAN NOT DRIVE ANYMORE. THE DRIVER HAD STOPPED DRIVING AFTER REACHING THE 70 AND THEREFORE WAS NOT IN VIOLATION. (Trailer Number 2) (Month) 1: OFF DUTY 2: SLEEPER 3: DRIVING 4: ON DUTY (7 Day Total) Remarks 1/2 = 0.50Available Hours 3/4 = 0.75N12354; 256314 (Total Miles MANIFEST NUMBER OR SHIPPER NAME AND COMMODITY Driving Today)

WHEN YOU RESET



Driver's Record of Dutality

USE A RULER OR STRAIGHTEDGE TO DRAW YOUR LINES IN THE MIDDLE OF EACH ZONE. KEEP YOUR DUTY
STATUS CURRENT
TO THE LAST DUTY
STATUS CHANGE.TO
INCLUDE NEAREST
CITY OR TOWN &
STATE.




Driver's Record of Duty Status

AS REQUIRED BY THE D.O.T. FEDERAL MOTOR CARRIER SAFETY REGULATIONS. I SUBMIT THE FOLLOWING:	DRIVER'S VEHICLE INSPECTION REPORT	As required by the D.O.T, FEDERAL MOTOR CARRIER SAFETY REGULATIONS. I SUBMIT THE FOLLOWING:
DATE TRACTOR No.: TRAILER NO.(S): I detect no defect or deficiency in this motor vehicle as would be likely to operation or result in its mechanical breakdown. I detect the following defects or deficiencies in this motor vehicle that we safety of its operation or result in its mechanical breakdown. INDICATE WHETHER DEFECTS ARE ON TRACTOR OR TRAILER - DES	ould be likely to affect the CRIBE DEFECT IN DETAIL Operation or result in a State of the following of safety of its operation INDICATE WHETHER DETAIL LOF + Fron	THACTOR No.: 5617 W 2379 THACTOR No.: 5617 W deficiency in this motor vehicle as would be likely to affect the safety of its its mechanical breakdown. Sefects or deficiencies in this motor vehicle that would be likely to affect the or result in its mechanical breakdown. FECTS ARE ON TRACTOR OR TRAILER - DESCRIBE DEFECT IN DETAIL THACT RESERVED TO THE COURT OF TRAILER - DESCRIBE DEFECT IN DETAIL
DRIVER'S SIGNATURE: ABOVE DEFECTS CORRECTED ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OP MECHANIC'S SIGNATURE: DRIVER'S REVIEWING REPAIRS: DATE 4009071 D Copyright 2003 & Publ	ERATION OF VEHICLE ABOVE DEFECTS OF MECHANIC'S SIGNATURE	REPAIRS: JOHN JULIAN

DRIVER'S VEHICLE

YOUR COMPLETED 2 DAY LOG





It is the drivers responsibility to make sure 8 blank graphs are in your position.

A cover of the KLLM log book must be kept at all times.

In the event that you are running low on blank logs, make copies to hold you over until you can get to a terminal.

Your vehicle is to be properly parked in a parking lot or street where truck parking is allowed, with the parking brakes applied to prevent any movement of the vehicle while parked. (FMCSR Part 392.20-Stopped Vehicles)

After the above requirements have been followed, you are released from the responsibility of the eare and custody of the vehicle, its accessories and any cargo it may be carrying. The relief from duty is limited to not less than thirty (30) minutes. For the duration of the stop, you are at liberty to pursue activities of your own choosing and to leave the premises on which the vehicle is situated. (Regulatory Guidance for the FMCSR of November 17, 1993)

is kept on file ly. By both VITRACS.

This release from responsibility, unless required to be in attendance in accordance with 395.2(a), does not relieve you of the duties imposed on a driver of a vehicle transporting hazardous materials as specified in 397.2 of the Federal Motor Carrier Safety Regulations.

I have read and fully understand the foregoing instructions and will not construe them beyond their intent. I understand that I am to comply with all <u>Federal Motor Carrier Safety Regulations</u>, particularly with those in parts 391, 396, and 397 which have direct applications to my qualification and duties.

I have been given a copy of these instructions to carry on my person while driving a vehicle for and I understand that it will apply only while I am employed by

KLLM, INC.

MO. YR.

PRINTED NAME: DRIVER PRINTED NAME

© Copyright 2003 & Published by J. J. KELLER & ASSOCIATES, INC., Neenah, WI * (800) 327-6868 * Printed in USA

The driver is responsible for obtaining his/her own logs to keep on record for tax purposes.

Driver's Record of Duty Status

• 100% of driver's logs will be audited by date, time & location for the following On Duty required entries:

Post / Pre-trip (Required at start of first driving period after any break of 10 hours or more. Must meet a minimum time of 15 minutes.)

Fuel

DOT Inspections

Accidents & Damage Claims

Random & Post Accident Alcohol and Drug Testing

H.O.S. Alerts

- The elog works with the ECM and GPS to notify Safety of H.O.S. violations.
- If no violation is found or driver has properly noted why he/she was forced into violation. The driver will NOT be contacted.
- If a violation is found the driver will be instructed to shut down and contact safety immediately.
- At this time the driver will be counseled: to include, instruction on what break to take to make him/her legal to drive again, 1 safety point issued at a minimum.
- For serious and willful disregard of rules and regulations the driver will be subject to further disciplinary action up to and including DISQUALIFICATION.

LOG VIOLATIONS

- Hours of Service
- Falsification

The #1 reason for receiving these violations is poor trip planning on the drivers part.

The 2nd reason is not reading/listening to what the unit is telling you and continue to drive.

The 3rd reason is not being able to edit your **OWN** logs.

Hours of Service

- 8 Hour Rule
- 11 Hour Rule
- 14 Hour Rule
- 70 Hour Rule

2 or more violations in a 30 day period will result in the driver being moved up 1 level in our Enforcement of FMCSA Part 395 HOS.

Falsification

- Pre-Trips
- Fuel Stops

Failure to log 5 or more within a 30 day period at the correct time & date will result in driver being moved up 1 level in our Enforcement of FMCSA Part 395 HOS.

Falsification

- Dot Inspections
- Accidents
- Alcohol & Drug Testing

Failure to log 1 or more within a 30 day period at the correct time & date will result in driver being moved up 1 level in our Enforcement of FMCSA Part 395 HOS.

ELD Form & Manner

Form & Manner can only occur when you enter the wrong info or it is missing:

Load ID #

BOL#

Trailer #

ELD Daily Certification Requirement

- Keep your logs Certified to with in 24 hours of current date and time.
- This will prevent the device from restricting your ability to start work or edit the ELD.

HOS Violations Continued

- For serious and willful disregard for rules, regulations, and FMCSA part 395 HOS, the driver **may** be required to sign a Letter Of Commitment (company driver) or a Notice of Contract Violation (I/C).
- Or the driver <u>may</u> be Disqualified immediately.

Progressive Enforcement of FMCSA Part 395 HOS

LEVEL 1 Progressive Enforcement of FMCSA Part 395 HOS

- Written warning to the driver via Omnitracs.
- If you understand the violations and don't require any counseling just send a macro 62 to accept the violation.
- If you DO NOT understand what caused these violations, please contact the Log Dept. for help.
- No points added to Safety Point System.
 - DO NOT CALL THE SAFETY DEPT. WHILE YOU ARE DRIVING!!

LEVEL 2 Progressive Enforcement of FMCSA Part 395 HOS

- Driver notified via Omnitracs to contact the Log Audit Department
- Driver counseled by phone.
- No points added to Safety Point System

LEVEL 3 Progressive Enforcement of FMCSA Part 395 HOS

- Driver routed to Jackson, Atlanta or Lancaster terminal(s) for counseling.
- Re-Training
- 1 point added to Safety Point System
 - The Safety Point System will be discussed later in Orientation.

LEVEL 4 Progressive Enforcement of FMCSA Part 395 HOS

- Driver routed to Jackson, Atlanta or Lancaster Terminal for full safety review
- Re-Training
- 1 point added to Safety Point System
- Overall safety review is done.
- A letter of commitment or NCV will be signed.

Violations Beyond Level 4 Will result in further disciplinary action up to and including driver disqualification




Immediate action after logging in


After you log in, you may be prompted to review or resolve:

- Unassigned Driving (shop movement with vehicle, etc.)
- Missing load information for prior days (shop moved vehicle)
- Log Certification (must be current within 24hrs)

It is imperative to read and understand the prompts and the potential impact to your logs.

ERODS continued





Log Edits

- After the edit is complete, you are prompted to add an edit reason. The edit reason is required is reflected on your logs.
- You are then prompted to certify the log updates.
- All changes on a log are displayed in accordance with the regulations. This includes the original duty status along with annotations and the new status.




Create a New Load

This must be done prior to leaving the shipper.


- 1. From the Load tab, tap **New** Load.
- 2. Enter **Load ID** (Trip / Pro Number) and **Trailer** information as required by the regulations.
- 3. Enter a B/L (bill of lading), if available.

Delivery Date



User Manual

For the user manual, go to the Media Manager Tray in the Home Screen App Tray



User Manual cont.


- 1. A driver must always have a user manual describing how to use the ELD on hand. If the user manual is electronic, the driver must know how to readily access it.
- 2. Drivers can utilize an in-cab instruction sheet describing the data-transfer mechanisms supported by the ELD and step-by-step instructions to produce and transfer their Hours of Service (HOS) records to an officer (eRODS).
- 3. Drivers can use an in-cab instruction sheet for ELD malfunction reporting and recordkeeping requirements during an ELD malfunction; this sheet may be combined with the eRODS transfer instruction sheet.
- 4. A supply of blank Records of Duty Status graph-grids are sufficient for recording drivers' required HOS data for a minimum of 8 days.
- 5. Drivers must only operate with an ELD that is capable of producing and transferring an eRODS file.

Diagnostic Event

The orange triangle is a notification alert for a data diagnostic event (DDE).


The red triangle is a notification alert for a malfunction event (ME).


= Data Diagnostic Event (DDE)



When a Data Diagnostic Event (DDE) or a Malfunction Event (ME) occurs, the tablet detects the event and displays a pop-up message explaining the event.

Tap OK to dismiss the pop-up message.





Driver Support

https://www.platformscience.com/customer-support

Platform Science 888-253-0999 Offers 24 / 7 / 365 Driver Support

Log Dept. 800-925-1000 ext. 8022 Hours 08:00 – 17:00 Central Time 7 Days a Week

Driver Guidelines

- Never assume the Platform Science is incorrect.
 - Call Log Dept. or Platform Science 1st to verify there is an error with the device.
- Night Dispatch CAN NOT authorize you to drive with out confirmation from one of the two.
- Case # will also have a recording of your phone call to verify Platform Science told you to go to paper log.
- You must have a copy of the previous 7 days logs, (either digital or paper) before you can start using paper logs.

Personal Conveyance

KLLM Transports Services, LLC authorized uses of a CMV while off-duty for personal conveyance:

- Time spent traveling from a driver's en route lodging (such as a motel or truck stop) to restaurants and entertainment facilities.
- Commuting between the driver's terminal and his or her residence, between trailer-drop lots
 and the driver's residence, and between work sites and his or her residence. In these scenarios,
 the commuting distance combined with the release from work and start to work times must
 allow the driver enough time to obtain the required restorative rest as to ensure the drive is not
 fatigued.
- 3. Time spent traveling to a nearby, reasonable, safe location to obtain required rest after loading or unloading, regardless of whether the driver exhausted his or her HOS. The time spent driving under personal conveyance must allow the driver adequate time to obtain the required rest in accordance with minimum off-duty periods under 49 CFR 395.3(a)(1) (property-carrying vehicles) before returning to on-duty driving, and the resting location must be the first such location reasonably available. FMCSA recommends that the driver annotate on the HOS if he/she cannot park at the nearest location and must proceed to another location.
- 4. Moving a CMV at the request of a Federal, State or local law enforcement official to relocate the CMV during the 10-hour break period. However, the CMV must be moved no farther than the nearest reasonable and safe area to complete the rest period.

- Misuse or abuse of Personal Conveyance will result in disciplinary action up to and including immediate DISQUALIFICATION!!!
 - 1st Offense results in immediate lose of PC.
 - If the driver has a legitimate need for PC, It must be approved by Log Audit or Night Supervisor.
 - PC will NOT be reinstated.

Driver "Log Out Policies and Procedures"

- Drivers are <u>ONLY</u> allowed to log out when they turn their truck into an authorized service location. Or parking at a KLLM terminal for time off.
- All drive time to and from a service location must be logged as On Duty Driving.

DRIVER'S NOTE: All entries must be neatly printed	
JEHN	Driver 2
KLLM Transport Services, Inc. (Oriver First Name) (Oriver Last Name)	
135 Riverview Dr Jackson, MS 39218	2 yarmerun -
(Driver ID)	(Driver's signature in full) I certify these entries are true and correct. 5
1272016	6
(Month) (Day) (Year) (Co-Driver ID)	(Name of Co-Driver) Yesterday
2 2 0 1 6 f multiple off-duty days, enter end date here: (Truck Number)	(Trailer Number 1) (Trailer Number 2) 70 Hours Loss 2 3 4 5 6 7 8 9 10 11 Total Hours
1 2 3 4 5 6 7 8 9 10 11 NOON 1	Equals Hours Available Today
2: SLEEPER BERTH	
3: DRIVING	
4: ON DUTY (NOT DRIVING)	Hours Worked
Remarks	2 4.0 0 Today If Hours
	1/4 = 0.25 Worked Today 1/2 = 0.50 Available 2/4 = 0.50 Available 7/5 = 0.50 Available
	3/4 = 0.75 You are in Violation.
(Total Miles Driving Today) MANIFEST NUMBER OR SHIPPER NAME AND COMMODITY	
2 3 2 0 1 6 (Co-Oriver ID)	(Name of Co-Driver)
20 drugtygays, 5QIII4	97617 1143792
(Month) (Day) (Year) date here: (Truck Number) 1 2 3 4 5 6 7 8 9 10 11 NOON 1	(Trailer Number 1) (Trailer Number 2)
1: OFF DUTY	5
2: SLEEPER BERTH	11111111 A 25 6.—
3: DRIVING	1075 ^{7.} Vestorday
4: ON DUTY (NOT DRIVING)	// Day Total
Remarks	24.00
SEL	1/4 = 0.25 1/2 = 0.50 Availatie Hours
F29134; 01258741 – E25632;854785 – F25852;658963	3/4 = 0.75
(Total Miles Driving Today) MANIFEST NUMBER OR SHIPPER NAME AND COMMODITY	Hours Worked Today
AS REQUIRED BY THE D.O.T. FEDERAL MOTOR CARRIER SAFETY REGULATIONS, DRIVER'S VEHICLE AS REQUIRED BY THE D.O.T. FEDERAL MOTOR CARRIER SAFETY REGULATIONS,	
DATE: TRACTOR NO:	DATE: 2/3/16 TRACTOR NO: 5611 W
Trailer No.(s):	TRAILER NO.(S): 11 4 3 79 I detect no defect or deficiency in this motor vehicle as would be likely to affect the safety of its
operation or result in its mechanical breakdown. I detect the following defects or deficiencies in this motor vehicle that would be likely to affect the	operation or result in its mechanical breakdown. The detect the following defects or deficiencies in this motor vehicle that would be likely to affect the
☐ safety of its operation or result in its mechanical breakdown. INDICATE WHETHER DEFECTS ARE ON TRACTOR OR TRAILER - DESCRIBE DEFECT IN DETAIL	A safety of its operation or result in its mechanical breakdown. INDICATE WHETHER DEFECTS ARE ON TRACTOR OR TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRACTOR OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRACTOR OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL - DESCRIBE DEFECT IN DETAIL LOCATE TO THE DEFECT OF TRAILER - DESCRIBE DEFECT IN DETAIL - DEFECT
	+railer.
DRIVER'S SIGNATURE:	DRIVER'S SIGNATURE: YOU WAS ABOVE DEFECTS CORRECTED
ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OPERATION OF VEHICLE	☐ ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OPERATION OF VEHICLE MECHANIC'S SIGNATURE:
DRIVER'S REVIEWING REPAIRS:	DRIVER'S REVIEWING REPAIRS: 207 () SELVE
DATE:	DATE: 2/3/1/a CIATES, INC., Neenah, WI • (800) 327-6868 • Printed in USA XXKLLL - 0346001